Journal of Obstetrics and Gynaecology (2000) Vol. 20, No. 6, 652–663

Index

Volume 20/2000

Abdel-Aleem, H., Al-Hussaini, T. and Karoush, S.: Hyperreactio luteinalis associated with normal singleton pregnancy, 315

Ablett, J.C. and Smith, J.R.: Risks for obstetricians—a review of the current issues and literature, 572

Abruptio placentae, risk factors for and perinatal mortality of, in patients hospitalised for early onset severe pre-eclampsia–a case-controlled study, 358

Abu-Eshy, S.: Endometrioma in surgical scars, 331

Abu-Hashem, E.: see Sherif, L.S.

Abu-Saleh, A.M. see Saad, F.A.

Adedimeji, A.A. see Adekunle, A.O.

Adeghe, J.H. see Olagundoye, V.O.

Adeghe, J. see Olagundoye, V.

Adekunle, A.O., Arowojolu, A.O., Adedimeji, A.A. and Okunlola, M.A.: Emergency contraception: survey of knowledge, attitudes and practice of health care professionals in Ibadan, Nigeria, 284

Adekunle, A.O., Fawole, A.O. and Okunlola, M.A.: Perceptions and attitudes of Nigerian women about the menopause, 525

Adeleye, J.A. see Adewole, I.F.

Adenipekun, A. see Campbell, O.B.

Adewole, I.F., Oladokum, A., Fawole, A.O., Olawuyi, J.F. and Adeleye, J.A.: Fertility regulatory methods and development of complications after evacuation of complete hydatidiform mole, 68

Adewole, I.F. see Oladokun, A.

Adib, S.A. see Morsy, A.H.

Adinma, B.D. see Eke, N.

Adinma, J.I.B. and Agbai, A.O.: Headache following parturition, 35

Agarwal, S. and Gahlot, D.: An advanced primary ovarian pregnancy, 542

Agbai, A.O. see Adinam, J.I.B.

Agboola, O. and Blott, M.: Guillain-Barré disease in pregnancy treated with intravenous immunoglobulin, 535

Aged 35 years and older, pregnancy outcomes in urban black South African women, 259

Age, maternal, the rise in obstetric intervention with,: a continuous phenomenon, 246

Ahmed, B.: Management of women who are circumcised especially during pregnancy and childbirth, 280

Ahmed, B. see Fayyad, A.

Ajuwon, A.J. see Iwuagwu, S.C.

Akinlade, B.I. see Campbell, O.B.

Akpolat, I. see Üstün, C.

Al Bar, H., Sobande, A., Hussein, O., Thiga, R. and Mushait, M.: The experience with prostaglandin E2 vaginal tablets for induction of labour in grand and great grand multiparae. A two year review in Saudi Arabia, 132

Aldrich, C.J. see Moran, P.A.

Al Dujaily, S. see Day, J.

Al-Hussaini, T. see Abdel-Aleem, H.

Al-Jama, F.E. see Rahman, J.

Al-Mutawa, J. see Masha, R.O.

Al Nuaim, L. see Masha, R.O.

Al-Omary, S.K. see Khunda, S.S.

Al-Suleiman, S.A. see Rahman, J.

Al-Taher, H. see Prasad, M.

Al-Tamimi, H. see Saad, F.A.

Amniotic fluid embolus following feticide—a cautionary tale, 191

Amso, N. see Coenen, M.

Anaesthesia, depth of (correspondence), 334

Anaf, V. see Buxant, F.

Anders, N.R.K. see Dickson, M.J.

Annan, H.G. see Odejinmi, F.

Anterior fontanelle during the fetal period, measurements of, 601

Antero-symphysial abscess formation after symphysial disruption in pregnancy, 313

Anti-D immunoglobulin administration to pregnant Rhesus D negative women following sensitising events. Audit of, 371

Anti-D levels, maternal serum, unexpected rapid rise of, during pregnancy, 378

Antioxidant levels in the cord blood of term foetus, 468

Antsaklis, A.J. see Daskalakis, G.J.

Anwar, T. and Zaklama, M.: Transient osteoporosis of the hip in pregnancy with fractured neck of femur postpartum, 634

Armitage, T.G. see Esen, U.I.

Arnadottir, S., Masson, E.A. and Lindow, S.W.: Is there a need for special antenatal clinic for women with a medical disorder?, 465

Arnardóttir, S. see Líndal, E.

Arnott, N., Harrold, A.J. and Lynch, P.: Variations in oxytocin regimes in Scottish labour wards in 1998, 235

Arowojolu, A.O. see Adekunle, A.O.; Campbell, O.B.

Aschkenazi, S., Levy, T., Mashiach, R., Kaplan, B., Levavi, H. and Ben-Rafael, Z.: Late tubo-ovarian abscess, after abdominal hysterectomy, presenting as a tubo-cutaneous fistule, 640

Ascites, massive, localised endometrial cancer presenting with, 550

Ascites, massive, 'transient HELLP syndrome' followed by, 193

Atlay, R.D. see Gazvani, M.R.

Audit of anti-D immunoglobulin administration to pregnant Rhesus D negative women following sensitising events, 371

Audit standards in ectopic pregnancy, 119

Audit of trial of labour after previous caesarean section, 380

Aust, T.R. see Sajjad, Y.

Awonuga, A.O., Dwarakanath, L.S., Johanson, R., Hyde, C., Taylor, R. and Khan, K.S.: Critical appraisal workshops to promote evidence-based healthcare, 10

Axial rotation of the non-gravid uterus through 1080° (3 x 360°), 88

Aziz, N.L. see Osoba, O.

Azzam, L. see Saad, F.A.

Babarinsa, I.A. see Campbell, O.B.; Oladokun, A. Badawy, A.M.: see Sherif, L.S.

Badria, L.F. see Ziadeh, S.M.

Bagratee, J. see Moodley, M.

Bailie, C. see Vause, S.

Bajekal, N.R., Michel, M.Z. and Li, T.C.: Audit standards in ectopic pregnancy, 119

Baker, P.N. see Tower, C.L.

Bako, A.U. and Audu, L.I.: Undiagnosed breech in Zaria, Nigeria, 148

Bako, A.U. see Dare, F.O.

Ballantyne, John William 1861-1223, 343

Baltoyiannis, G., Skopelitou, A.S., Gloustianou, G., Batsis, C. and Kappas, A.M.: Pelvic actinomycosis mimicking frozen pelvis: report of an unusual case, 548

ISSN 0144–3615 print/ISSN 1364–6893 online/00/060652–12 © Institute of Obstetrics and Gynaecology Trust, 2000

Journal of Obstetrics and Gynaecology (2000) Vol. 20, No. 6, 652–663

Index

Volume 20/2000

Abdel-Aleem, H., Al-Hussaini, T. and Karoush, S.: Hyperreactio luteinalis associated with normal singleton pregnancy, 315

Ablett, J.C. and Smith, J.R.: Risks for obstetricians—a review of the current issues and literature, 572

Abruptio placentae, risk factors for and perinatal mortality of, in patients hospitalised for early onset severe pre-eclampsia–a case-controlled study, 358

Abu-Eshy, S.: Endometrioma in surgical scars, 331

Abu-Hashem, E.: see Sherif, L.S.

Abu-Saleh, A.M. see Saad, F.A.

Adedimeji, A.A. see Adekunle, A.O.

Adeghe, J.H. see Olagundoye, V.O.

Adeghe, J. see Olagundoye, V.

Adekunle, A.O., Arowojolu, A.O., Adedimeji, A.A. and Okunlola, M.A.: Emergency contraception: survey of knowledge, attitudes and practice of health care professionals in Ibadan, Nigeria, 284

Adekunle, A.O., Fawole, A.O. and Okunlola, M.A.: Perceptions and attitudes of Nigerian women about the menopause, 525

Adeleye, J.A. see Adewole, I.F.

Adenipekun, A. see Campbell, O.B.

Adewole, I.F., Oladokum, A., Fawole, A.O., Olawuyi, J.F. and Adeleye, J.A.: Fertility regulatory methods and development of complications after evacuation of complete hydatidiform mole, 68

Adewole, I.F. see Oladokun, A.

Adib, S.A. see Morsy, A.H.

Adinma, B.D. see Eke, N.

Adinma, J.I.B. and Agbai, A.O.: Headache following parturition, 35

Agarwal, S. and Gahlot, D.: An advanced primary ovarian pregnancy, 542

Agbai, A.O. see Adinam, J.I.B.

Agboola, O. and Blott, M.: Guillain-Barré disease in pregnancy treated with intravenous immunoglobulin, 535

Aged 35 years and older, pregnancy outcomes in urban black South African women, 259

Age, maternal, the rise in obstetric intervention with,: a continuous phenomenon, 246

Ahmed, B.: Management of women who are circumcised especially during pregnancy and childbirth, 280

Ahmed, B. see Fayyad, A.

Ajuwon, A.J. see Iwuagwu, S.C.

Akinlade, B.I. see Campbell, O.B.

Akpolat, I. see Üstün, C.

Al Bar, H., Sobande, A., Hussein, O., Thiga, R. and Mushait, M.: The experience with prostaglandin E2 vaginal tablets for induction of labour in grand and great grand multiparae. A two year review in Saudi Arabia, 132

Aldrich, C.J. see Moran, P.A.

Al Dujaily, S. see Day, J.

Al-Hussaini, T. see Abdel-Aleem, H.

Al-Jama, F.E. see Rahman, J.

Al-Mutawa, J. see Masha, R.O.

Al Nuaim, L. see Masha, R.O.

Al-Omary, S.K. see Khunda, S.S.

Al-Suleiman, S.A. see Rahman, J.

Al-Taher, H. see Prasad, M.

Al-Tamimi, H. see Saad, F.A.

Amniotic fluid embolus following feticide—a cautionary tale, 191

Amso, N. see Coenen, M.

Anaesthesia, depth of (correspondence), 334

Anaf, V. see Buxant, F.

Anders, N.R.K. see Dickson, M.J.

Annan, H.G. see Odejinmi, F.

Anterior fontanelle during the fetal period, measurements of, 601

Antero-symphysial abscess formation after symphysial disruption in pregnancy, 313

Anti-D immunoglobulin administration to pregnant Rhesus D negative women following sensitising events. Audit of, 371

Anti-D levels, maternal serum, unexpected rapid rise of, during pregnancy, 378

Antioxidant levels in the cord blood of term foetus, 468

Antsaklis, A.J. see Daskalakis, G.J.

Anwar, T. and Zaklama, M.: Transient osteoporosis of the hip in pregnancy with fractured neck of femur postpartum, 634

Armitage, T.G. see Esen, U.I.

Arnadottir, S., Masson, E.A. and Lindow, S.W.: Is there a need for special antenatal clinic for women with a medical disorder?, 465

Arnardóttir, S. see Líndal, E.

Arnott, N., Harrold, A.J. and Lynch, P.: Variations in oxytocin regimes in Scottish labour wards in 1998, 235

Arowojolu, A.O. see Adekunle, A.O.; Campbell, O.B.

Aschkenazi, S., Levy, T., Mashiach, R., Kaplan, B., Levavi, H. and Ben-Rafael, Z.: Late tubo-ovarian abscess, after abdominal hysterectomy, presenting as a tubo-cutaneous fistule, 640

Ascites, massive, localised endometrial cancer presenting with, 550

Ascites, massive, 'transient HELLP syndrome' followed by, 193

Atlay, R.D. see Gazvani, M.R.

Audit of anti-D immunoglobulin administration to pregnant Rhesus D negative women following sensitising events, 371

Audit standards in ectopic pregnancy, 119

Audit of trial of labour after previous caesarean section, 380

Aust, T.R. see Sajjad, Y.

Awonuga, A.O., Dwarakanath, L.S., Johanson, R., Hyde, C., Taylor, R. and Khan, K.S.: Critical appraisal workshops to promote evidence-based healthcare, 10

Axial rotation of the non-gravid uterus through 1080° (3 x 360°), 88

Aziz, N.L. see Osoba, O.

Azzam, L. see Saad, F.A.

Babarinsa, I.A. see Campbell, O.B.; Oladokun, A. Badawy, A.M.: see Sherif, L.S.

Badria, L.F. see Ziadeh, S.M.

Bagratee, J. see Moodley, M.

Bailie, C. see Vause, S.

Bajekal, N.R., Michel, M.Z. and Li, T.C.: Audit standards in ectopic pregnancy, 119

Baker, P.N. see Tower, C.L.

Bako, A.U. and Audu, L.I.: Undiagnosed breech in Zaria, Nigeria, 148

Bako, A.U. see Dare, F.O.

Ballantyne, John William 1861-1223, 343

Baltoyiannis, G., Skopelitou, A.S., Gloustianou, G., Batsis, C. and Kappas, A.M.: Pelvic actinomycosis mimicking frozen pelvis: report of an unusual case, 548

ISSN 0144–3615 print/ISSN 1364–6893 online/00/060652–12 © Institute of Obstetrics and Gynaecology Trust, 2000

Barnet, A. see Nwosu, E.C.
Barrett, T. see Connolly, G.
Barton, D. see Kenney, N.
Basama, F.M.S. and Clarke, J.F.B.: Sub-arachnoid haemorrhage from ruptured aneurysm during pregnancy, 635
Batsis, C. see Baltoyiannis, G.
Beacon, J. see Chung, T.
Beck, I. see Calvert, S.M.
Beddard, K. see Thomas, E.
Begum, G. see Mann, C.H.
Benign disease can mimic ovarian cancer, a reminder, 645
Ben-Rafael, Z. see Aschkenazi, S.; Rabinerson, D. Bhal, K. see Coenen, M.
Bhanot, S.M. see Sharma, A.
Bhaumik, J. and Hill, N.C.W.: Elevated CA 125 levels in association with endometriosis, 207
Bhaumik, J. and Pembrey, M.R.: A massive retroperitoneal cyst in pregnancy, 429
Bidmead, J. see Toozs-Hobson, P.
Bilek, K. see Horn, L.-C.
Bilgin, T.: Late ovarian metastases of a cutaneous malignant melanoma, 323
Blair, M.E. see James, D.K.
Blott, M. see Agboola, O.
Boselli, F. see Fano, R.A.
Boto, T. see Sriemevan, A.
Botulin toxin, vaginismus: results of treatment with, 300
Bowen, M.L., Merriman, H., Woodliff, G., Marsh, G., Trihia, H. and Charnock, F.M.: Microinvasive cervical carcinoma: a retrospective study of cases presenting to the Oxford Colposcopy Unit between 1989 and 1996, 290
Boyom, F. see Kouam, L.
Bradley, E., Pitts, M., Redman, C., Calvert, E., Howells, R. and Wafai, C.: What are the factors associated with the follow-up preferences of women in long-term remission from gynaecological cancer?, 408
Breastfeeding during pregnancy, is it harmful?, 157
Breech, undiagnosed, in Zaria, Nigeria, 148
Bremnes, R.M. see Flo, K.
Bridges, J.E. see Vashisht, A.
British Maternal and Fetal Medicine Society: Fifth Annual Conference—Programme and Abstracts (Supplement) S1–S72
Buchmann, E.J. see Larbi, R.K.T. Bukovsky, I. see Sherman, D.
Bukovsky, I. see Sherman, D.
Bulmer, P. and McWhinney, N.: A mesenteric recurrence of a granulosa cell tumour 35 years after first presentation, 324
Bulmer, P. and McWhinney, N.: Myocardial infarction in a woman with hypertrophic cardiomyopathy treated with beta-mimetics for premature labour, 431
Burch colposuspension: a 10 to 12 years follow up, 178
Burst abdomen following caesarean section: a preventable surgical complication, 612
Buxant, F., Simon, P., Dereume, J.P. and Anaf, V.: A left inferior vena cava associated with pelvic vein malformations: a major pitfall of pelvic surgery, 440
Byrd, L., Donnai, P. and Gokal, R.: Outcome of pregnancy following renal transplantation, 15
Byrd, L., Wells, S. and Mayers, F.: Trichoepithelioma of the vulva, 99
Byrd, L., Wells, S. and Mayers, F.: Umbilical cord thrombosis-a cause of intrauterine demise?, 92
Byrne, B.M. see O'Donoghue, K.
Byrne, P. see Connolly, G.
Byrne, P. see O'Donovan, M.

CA 125, can a single serum assay predict the outcome of threatened abortion?, 65
CA 125 levels, elevated, in association with endometriosis, 207
Caesarean section, prevalence and determinants of, in a teaching hospital of Pakistan, 479
Caesarean morbidity and mortality at Maiduguri, Nigeria, 45
Caesarean section, burst abdomen following,: a preventable surgical complication, 612
Caesarean section epidemic, 223
Caesarean section, long-term implications of, 365
Caesarean section, post mortem—intervention not indecision, 192
Caesarean section, previous, an audit of trial of labour after, 380
Caesarean section scar, previous, an ectopic pregnancy in a,: treatment with systemic methotrexate and uterine artery embolisation, 328
Caesarean section for the second twin after vaginal delivery of the first, 392
Caesarean sections, improving the standards of care for women having, 584
Callender, R. see Mann, C.H.
Calvert, E. see Bradley, E.
Calvert, R.J. see Calvert, S.M.
Calvert, S.M., Calvert, R.J., Hjartardottir, H. and Beck, I.: Glial polyp: an unusual cause of post-coital bleeding, 205
Cameron, H.M. see Fayyad, A.
Campbell, O.B., Adenipekun, A., Akinlade, B.I., Arowojolu, A.O. and Babarinsa, I.A.: Advanced cervical carcinoma in Ibadan, Nigeria: an appraisal of radiation therapy, 624
Cancer, gynaecological. What are the factors associated with the follow-up preferences of women in long-term remission from?, 408
Carcinoma of the cervix presenting with post-defecation vaginal bleeding, 329
Cardiac arrest in an obese hypertensive patient with multiple pregnancy, 199
Cardiac disease, maternal, pregnancy complicated by,: a review of 274 patients, 242
Cardozo, L. see Toozs-Hobson, P.
Catamenial pneumothorax, 547
Central serous retinopathy and severe preeclampsia, 311
Cervical carcinoma, advanced, in Ibadan, Nigeria: an appraisal of radiation therapy, 624
Cervical carcinoma, microinvasive: a retrospective study of cases presenting to the Oxford Colposcopy Unit between 1989 and 1996, 290
Cervical intraepithelial neoplasia grade III, a review of the treatment failures following, treated by large loop excision of the transformation zone, 399
Cervical leiomyomas. The value of interstitial thermotherapy as an adjunct to the treatment of uterine, 412
Cervical pregnancy, modified technique of transabdominal cerclage in, 82
Cervical smear, abnormal, unsuspected metastatic rectal cancer presenting as, 201
Cervical smears, persistent abnormal, caused by vulvar intraepithelial neoplasia, 643
Cervical stump, vaginal excision of, 523
Cervix. An unusual mixed tumour of the uterine, 441
Cervix, carcinoma of the, presenting with post-defecation vaginal bleeding, 329
Ceusters, E., Fontaine, C., Laubach, C. and De Grève, J.: Hypercalcaemia due to metastatic melanoma during pregnancy, 195
Chakravarty, A. see Chhabra, S.
Chama, C.M., El-Nafaty, A.U. and Idrisa, A.: Caesarian morbidity and mortality at Maiduguri, Nigeria, 45
Chapman, K.: Aetiology and management of the secondary brow, 39
Chapman, K.: Twin papyraceous fetuses in a triple pregnancy, 317
Chapman, R.: The value of interstitial thermotherapy as an adjunct to the treatment of uterine cervical leiomyomas, 412

Chappatte, O.A. see Ojutiku, D.
Charnock, F.M. see Bowen, M.L.
Charran, D. see Mohammed, W.
Chattopadhyay, I., Johnson, N. and Sabrine, N.: Rare skeletal injuries following true shoulder dystocia, 432
Chhabra, S., Chakravarty, A. and Jindal, P.: A fatal methotrexate-treated case of ectopic pregnancy with genital tuberculosis, 545
Chhabra, S., Gandhi, D. and Jaiswal, M.: Obstructed labour–a preventable entity, 151
Chilaka, V.N., Konje, J.C., Clarke, S. and Taylor, D.J.: Practice observed: is speculum examination on admission a necessary procedure in the management of all cases of antepartum haemorrhage?, 396
Chilvers, C. see James, D.K.
Chima-Okereke, C.N. and Frazer, M.I.: Interstitial cystitis, 567
Chiossi, G. see Fano, R.A.
Chow, K.M. see Lam, C.M.
Chung, T., Slippe-Quartey, J., Beacon, J. and Kane, L.: Is osteitis pubis associated with the use of bone anchors in urinary continence operations?, 614
Circumcised, management of women who are, especially during pregnancy and childbirth, 280
Clarke, J.F.B. see Basama, F.M.S.
Clarke, S. see Chilaka, V.N.
Clark, T.J., Tan, B.K., Kennedy, C.R.: Asynchronous ovarian torsion in a patient with McCune-Albright syndrome, 204
Coenen, M., Bhal, K. and Amso, N.: Segmental resection of isthmic ectopic pregnancy with GIA: expensive spielerei or treatment of choice?, 330
Congenital antithrombin III deficiency in pregnancy treated with low-molecular-weight heparin, 85
Conisation with large loop, are the immediate complications of, similar to those with the knife?, 63
Connell, R., Cutner, A. and Creighton, S.: Laparoscopic removal of an ectopic uterus in a patient with Mayer-Rokitansky-Küster-Hauser syndrome, 97
Connolly, G., Doyle, M., Barrett, T., Byrne, P., De Mello, M. and Harrison, R.F.: Fertility after abdominal myomectomy, 418
Conotruncal anomalies, isolated, prenatal ultrasound diagnosis of, 93
Contraception, emergency: survey of knowledge, attitudes and practice of health care professionals in Ibadan, Nigeria, 284
Contraceptive intentions of women seeking induced abortion in the city of Jos, Nigeria, 162
Cormio, G. see Loverro, G.
Corstiaans, A. see Rane, A.
Cotter, A., Gardiel, F., Varley, M., Skinner, J. and Turner, M.J.: Are the immediate complications of conisation with large loop similar to those with the knife?, 63
Coughlin, L. and Haddad, N.G.: Struma ovarii presenting as hyperemesis gravidarum in pregnancy, 310
Counselling, pre-operative,–the patients' views, 308
Cox, C. see Olagundoye, V.
Cox, C. see Thomas, E.
Creighton, S. see Connell, R.
Critical appraisal workshops to promote evidence-based healthcare, 10
Crohn's disease of the vulva, tumour-like, bilateral, 637
Cruickshank, D.J. see Maiti, S.
Cullimore, J. and Scurr, J.: The abnormal glandular smear: cytological prediction, colposcopic correlation and clinical management, 403
Cumming, G.P., Narayansingh, G.V., Parkin, D.E. and Swami, S.: Vesicovaginal fistula occurring 48 hours after insertion of a ring pessary, 637
Cutner, A. see Connell, R.
Cyclical mucosal ulceration, 210
Cystitis, acute haemorrhagic, in pregnancy, 316
Cystitis, interstitial, 567
Cyst, a massive retroperitoneal, in pregnancy, 429

Dalgleish, D.J.: Depth of anaesthesia (correspondence), 334
Dandu, S., Jones, S.E. and Okeahialam, M.G.: Rokitansky-Kuster-Hauser syndrome associated with chromosomal abnormality and fibroid arising from the rudimentary uterine horn, 98
Dare, F.O., Bako, A.U. and Ezechi, O.C.: Burst abdomen following caesarian section: a preventable surgical complication, 612
Dare, F.O. see Ezechi, O.C.
Daskalakis, G.J., Papantoniou, N.E., Koutsodimas, N.B., Papapanagiotou, A. and Antsaklis, A.J.: Fetal fibronectin as a predictor of preterm birth, 347
Das, S.S. and Richards, C.J.: Pre-operative counselling–the patients' views, 308
Dauleh, G. see Saad, F.A.
Davies, A.E. see El-Toukhy, T.
Davies, D.W. see Hogston, P.
Davies, J. see Papaioannou, S.
Davies, N.J. see Edwards, G.J.
Dawson, A.J.: Endometrial resection and subsequent pregnancy, 126
Day, J., Al Dujaily, S., Hayward, A., Shaw, S. and Ewah, P.: Uterus didelphys associated with left renal agenesis presenting as a pelvic kidney with contralateral ureteric obstruction, 325
Dearakanath, L.S. see Awonuga, A.O.
De Dooy, J.J. see Mahieu, L.M.
De Grève, J. see Ceusters, E.
Dekel, A. see Rabinerson, D.
De Martis, S. see Fano, R.A.
De Mello, M. see Connolly, G.
Depares, J.C. see Dickson, M.J.
Dereume, J.P. see Buxant, F.
Dermoid cysts, coexistent extraovarian and bilateral ovarian,: a case presenting as an acute abdomen, 442
Dhundee, J. see Gornall, R.
Diabetes, insulin-dependent, the effect of maternal exercise on umbilical artery blood flow in, 606
Diabetes mellitus, gestational, the value of serum fructosamine in comparison with oral glucose tolerance test (OGTT) as a screening test for detection of, 136
Diabetic pregnancies in the United Kingdom, management of, 455
Dicker, D. see Rabinerson, D.
Dickson, M.J.: Patient satisfaction with ring pessary, 211
Dickson, M.J. and Anders, N.R.K.: Acute puerperal uterine inversion: a report of five cases, 426
Dickson, M.J. and Depares, J.C.: Anxiety and outpatient hysteroscopy, 81
Domoney, C.L. see Vashisht, A.
Donnai, P. see Byrd, L.
Dornan, J.C. see McKinney, A.
Downes, E. see Sillender, M.
Doyle, M. see Connolly, G.; Sajjad, Y.
Drife, J.O. see Sillender, M.
Drug abuse in pregnancy, maternal and perinatal outcome with, 597
D'Souza, D.: Fetal growth and sex related to placenta praevia, 382
Dyspareunia, vaginal dilator therapy—an outpatient gynaecology option in the management of, 303

Early teenage obstetrics at Waikato Hospital, 368
Eclampsia, one year survey of maternal mortality associated with, in Dhaka Medical College Hospital, 239
Eclamptic episode in a low risk multiparous woman, 436
Ectopic pregnancy, audit standards in, 119
Ectopic pregnancy, current trends in management of, in the United Kingdom, 74

Ectopic pregnancy with genital tuberculosis, a fatal methotrexate-treated case of, 545
Ectopic pregnancy, isthmic, segmental resection of, with GIA: expensive spielerei or treatment of choice?, 330
Ectopic pregnancy, laparoscopic methotrexate treatment of,: feasibility, efficacy, safety and intrauterine pregnancy rates, 292
Ectopic pregnancy, laparoscopic surgical management of,: a district general hospital experience, 620
Ectopic pregnancy in a previous caesarean section scar: treatment with systemic methotrexate and uterine artery embolisation, An, 328
Ectopic uterus in a patient with Mayer-Rokitansky-Küster-Hauser syndrome, laparoscopic removal of, 97
Edwards, G.J. and Davies, N.J.: Amniotic fluid embolus following feticide—a cautionary tale, 191
Egbuonu, I. see Igwegbe, A.O.
Ehlers Danlos syndrome, second-trimester medical termination of pregnancy in, 647
Eke, N. and Adinma, B.D.: Carcinoma of the cervix presenting with post-defecation vaginal bleeding, 329
Ekpo, E.E.: Uterine rupture as seen in the University of Calabar Teaching Hospital, Nigeria: a five-year review, 154
El-Gerjes, N.S. see Morsy, A.H.
Elkalyoubi, M. see Morsy, A.H. El-Metwaly, A.G.: see Sherif, L.S. El-Nafaty, A.U. see Chama, C.M. El-Quarmalawi, M.A. see Morsy, A.H. El-Sibai, O. see Shafik, A.
El-Toukhy, T.A. see Hefni, M.A.
El-Toukhy, T., Mahadevan, S. and Davies, A.E.: Burch colposuspension: a 10 to 12 years follow up, 178
Emergency contraception: survey of knowledge, attitudes and practice of health care professionals in Ibadan, Nigeria, 284
Emergency obstetric hysterectomy—an increasing incidence (correspondence), 447
Employment, low back pain and smoking during pregnancy and after delivery–a 3-month follow-up study, 263
Endometrial ablation, pregnancy following, 90
Endometrial adenocarcinoma treated by hysterectomy and bilateral salpingo-oophorectomy at age 22—the dilemma of long-term HRT, 639
Endometrial cancer, localised, presenting with massive ascites, 550
Endometrial carcinoma, unusual ultrasound appearance of, 644
Endometrial resection and subsequent pregnancy, 126
Endometrioma in surgical scars, 331
Endometriosis, an audit of conservative surgery for, in a district general hospital 1995–1998, 514
Endometriosis, elevated CA 125 levels in association with, 207
Endometriosis of the ureter, isolated, 642
Endometrium, trancervical resection of,: patient satisfaction survey at a district hospital, 517
Epignathus, teratoma or a twin? An unusual presentation of, 428
Episiotomy, elective, a Sitz bath does not improve wound healing after, 277
Erskine, M., Shinewi, F., Pollard, L. and Kubba, A.: Tolerability and reasons for discontinuation of Norplant in an inner city population, 180
Esen, U.I., Menzes, P., Nwabineli, N.J. and Armitage, T.G.: Perforated duodenal ulcer in pregnancy—a rare non-obstetric emergency, 632
Evans, A. see Griffiths, A.
Evidence-based healthcare, critical appraisal workshops to promote, 10
Ewah, P. see Day, J.
Ewies, A.A.A. and Oláh, K.S.J.: Endometrial adenocarcinoma treated by hysterectomy and bilateral salpingo-oophorectomy at age 22—the dilemma of long-term HRT, 639
Ewies, A.A.A. and Oláh, K.S.J.: Persistent abnormal cervical smears caused by vulvar intraepithelial neoplasia, 643
Ewies, A.A.A. and Oláh, K.S.J.: Severe haemorrhage following insertion of a suprapubic catheter, 646
Ewies, A.A.A. and Sant Cassia, L.J.: A review of the treatment failures following cervical intraepithelial neoplasia grade III treated by large loop excision of the transformation zone, 399
Extralobar pulmonary sequestration with contralateral pleural effusion, 632
Ezechi, O.C., Fasubaa, O.B. and Dare, F.O.: Socioeconomic barriers to safe motherhood among booked patients in rural Nigerian communities, 32
Ezechi, O.C. see Dare, F.O.

Factor XI deficiency, hysterectomy in a woman with, 321
Fallopian tube, severe epithelial dysplasia of the,: a potential source of malignancy arising from an often ignored organ, 437
Fano, R.A., Boselli, F., Ficarra, G., Chiossi, G., De Martis, S. and Rivasi, F.: Benign vaginal rhabdomyoma: a case report, 641
Fasubaa, O.B. see Ezechi, O.C.
Faulkner, R.L. and Slade, R.J.: A reminder: benign disease can mimic ovarian cancer, 645
Fawole, A.O. see Adekunle, A.O.; Adewole, I.F.
Fayyad, A., Ahmed, B. and Cameron, H.M.: Maternal goitre enlarging during labour as an indication for assisted vaginal delivery, 430
Fayyad, A. see Hatem, M.H.
Female genital mutilation in Nnewi, Nigeria, the prevalence and practice of,: the impact of female education, 520
Fertility after abdominal myomectomy, 418
Fertility regulatory methods and development of complications after evacuation of complete hydatidiform mole, 68
Fetal ascites, transient isolated, and intravenous ritodrine therapy: a possible association, 539
Fetal death, second trimester, complicated by a complete placenta praevia, medical management of, 537
Fetal fibronectin as a predictor of preterm birth, 347
Fetal growth and sex related to placenta praevia, 382
Fetal movements, reduced, and maternal medication—new pregnancy risk factors for neurodevelopmental disability in childhood, 226
Fetal period, measurements of anterior fontanelle during the, 601
Feticide, amniotic fluid embolus following,—a cautionary tale, 191
Fiander, A.N. see Penalver, M.
Ficarra, G. see Fano, R.A.
Filshie, G.M. see Strachan, B.K.
Fitzgerald, D.J. see Hillman, A.
Flo, K., Bremnes, R.M. and Maltau, J.M.: Laparoscopic methotrexate treatment of ectopic pregnancy: feasibility, efficacy, safety and intrauterine pregnancy rates, 292
Foetus, antioxidant levels in the cord blood of term, 468
Folate deficiency in pregnancy presenting as acute megaloblastic crisis, 190
Folic acid campaign, how effective was the Health Education Authority's?, 271
Fontaine, C. see Ceusters, E.
Fothergill, D.J. see Haynes, D.I.
Fox, R. see Hamid, S.
Fox, S. see Keay, S.
Fractured neck of femur postpartum, transient osteoporosis of the hip in pregnancy with, 634
Fracture, hip, during labour due to transient osteoporosis of the hip in pregnancy, 197
Francis, F. see Rane, A.
Franz, H.B.G. see Hirnle, P.
Frazer, M.I. see Chima-Okereke, C.N.
Frazer, M. see Rane, A.

Frozen pelvis, pelvic actinomycosis mimicking,: report of an unusual case, 548
Furui, T., Imai, A., Takagi, A., Tamaya, T., Takagi, H., Matsunami, K. and Shiraki, S.: Differential efficacy of gonadotrophin-releasing hormone (GnRH) agonist treatment on pedunculated and degenerated myomas: a retrospective study of 630 women, 504

Gahlot, D. see Agarwal, S.
Galimberti, A. and Jain, S.: Gynaecology on the Net: evaluation of the information on hysterectomy contained in health-related web sites, 297
Galimberti, A. and Jain, S.: Placental chorioangioma as a cause of maternal hydrops syndrome, 91
Gandhi, D. see Chhabra, S.
Gardiel, F. see Cotter, A.
Garg, M., Wright, C. and Macphail, S.: Extralobar pulmonary sequestration with contralateral pleural effusion, 632
Gazvani, M.R., Quenby, S. and Atlay, R.D.: Severe epithelial dysplasia of the fallopian tube: a potential source of malignancy arising from an often ignored organ, 437
Gestational diabetes mellitus, the value of serum fructosamine in comparison with oral glucose tolerance test (OGTT) as a screening test for detection of, 136
Ghosh, S. see Ismail, K.M.K.
Ghosh, S. see Prasad, M.
GIA, segmental resection of isthmic ectopic pregnancy with,: expensive spielerei or treatment of choice?, 330
Gillespie, A.M. and Hancock, B.W.: Patients with placental site trophoblastic tumours (correspondence), 333
Gillmer, M.D.G. see Moran, P.A.
Girling, J.C.: Re-evaluation of plasma creatinine concentration in normal pregnancy, 128
Gkoutzioulis, F. see Mann, C.H.
Glandular smear, abnormal: cytological prediction, colposcopic correlation and clinical management, 403
Gleeson, R. see Slevin, J.
Glial polyp: an unusual cause of post-coital bleeding, 205
Gloustianou, G. see Baltoyiannis, G.
Glycoprotein (GP) Ib alpha, polymorphisms in, are not associated with adverse outcomes in primigravidae, 250
Goitre, maternal, enlarging during labour as an indication for assisted vaginal delivery, 430
Gokal, R. see Byrd, L.
Gonadotrophin releasing hormone analogue in an intrauterine insemination (IUI) programme, the value of, 175
Gonadotrophin-releasing hormone (GnRH) agonist treatment on pedunculated and degenerated myomas, differential efficacy of,: a retrospective study of 630 women, 504
Gonsalves, R. see Watermeyer, S.R.
Gornall, R., Lanhan, S., Dhundee, J. and Woolas, R.: Recurrent high grade intraepithelial neoplasia in a patient with cyclical neutropaenia: an analysis of HPV status, 438
Gouk, E. see Hatem, M.H.
Grant, I. see Papaioannou, S.
Grant, K.A. see McKenzie, C.A.
Granulosa cell tumour, a mesenteric recurrence of a, 35 years after first presentation, 324
Greco, P. see Loverro, G.
Griffiths, A., Jones, N. and Evans, A.: The masquerading malignant melanoma, 648
Group B streptococcus, obstetricians' compliance with CDC guidelines on maternal screening and intrapartum prophylaxis for, 460
Grové, D. see Odendaal, H.J.
Guillain-Barré disease in pregnancy treated with intravenous immunoglobulin, 535
Guirguis, M. see Olagundoye, V.
Gürer, I.E. see Pestereli, H.E.
Guthrie, K. see Mukhopadhyay, M.
Guyer, C.: Severe postpartum HELLP syndrome, 194
Guyer, C., Moors, A. and Louden, K.: An audit of conservative surgery for endometriosis in a district general hospital 1995-1998, 514

Haddad, N.G. see Coughlin, L.
Haematoma, retroperitoneal, arising from vaginal myomectomy, 327
Haemorrhage, antepartum, is speculum examination on admission a necessary procedure in the management of all cases of? Practice observed:, 396
Haemorrhage, antepartum, women with placenta praevia and, have a worse outcome than those who do not bleed before delivery, 27
Haemorrhage, severe, following insertion of a suprapubic catheter, 646
Hal, D.R. see Odendaal, H.J.
Hallgrímsson, J.P. see Lindal, E.
Hamid, S., Fox, R. and Richardson, J.: Localised endometrial cancer presenting with massive ascites, 550
Hancock, B.M. see Gillespie, A.M.
Handscombe, K. see Vashisht, A.
Haptoglobin administration, efficacy of, in the early postoperative course of patients with a diagnosis of HELLP syndrome, 610
Harrison, R.F. see Connolly, G.
Harrold, A.J. see Arnott, N.
Harsoulis, F., Karayiannis, B., Karvounaris, D. and Mamopoulos, M.: Primary hyperparathyroidism in pregnancy, 188
Hassan, S. see Rane, A.
Hatem, M.H., Gouk, E., Moustafa, A.F., Fayyad, A. and Jürgens, S.: Too ill to operate or ill enough to operate?, 646
Haughney, R.V.M., Reeve, R.S. and Slade, R.J.: An unusual mixed tumour of the uterine cervix, 441
Hauksson, A. see Lindal, E.
Haynes, D.I., Smith, J.H.F. and Fothergill, D.J.: A case of placenta increta presenting in the first trimester, 434
Hayward, A. see Day, J.
Headache following parturition, 35
Hefni, H. see Talib, Y.A.
Hefni, M.A. and El-Toukhy, T. A.: Sacrospinous colpopexy at vaginal hysterectomy: methods, results and follow up in 75 patients, 58
HELLP syndrome, efficacy of haptoglobin administration in the early postoperative course of patients with a diagnosis of, 610
HELLP syndrome, severe postpartum, 194
HELLP syndrome, transient, followed by massive ascites, 193
Hermaphrodite case with 46, XY/46, XX karotype, a true, 546
Hillman, A., Shields, D.C., Fitzgerald, D.J. and Kenny, D.: Polymorphisms in glycoprotein (GP) Ib alpha are not associated with adverse outcomes in primigravidae, 250
Hill, S. see Toozs-Hobson, P.
Hip fracture during labour due to transient osteoporosis of the hip in pregnancy, 197
Hirnle, P., Franz, H.B.G., Sulkarnejewa, E., Pfeiffer, K.H. and Kiesel, L.: Caesarean section for the second twin after vaginal delivery of the first, 392
Hirschowitz, L.: The cost of a hysterectomy in a UK hospital, 211
Hjartardottir, H. see Calvert, S.M.
Hogston, P. and Davies, D.W.: Emergency obstetric hysterectomy—an increasing incidence (correspondence), 447
Ho, L.C. see Lam, C.M.
Horn, L.-C. and Bilek, K.: Tumour-like, bilateral Crohn's disease of the vulva, 637
Howat, P. see Rane, A.
Howells, R. see Bradley, E.

HPV status, an analysis of. Recurrent high grade intraepithelial neoplasia in a patient with cyclical neutropaenia:, 438
HRT, conventional, does it protect from urogenital atrophy? A prospective study, 306
HRT, the dilemma of long-term, endometrial adenocarcinoma treated by hysterectomy and bilateral salpingo-oophorectomy at age 22, 639
Human immunodeficiency virus antibodies, maternal and neonatal seroprevalence of, in Benin City, Nigeria, 589
Hussain, F., Johanson, R.B. and Jones, P.: One year survey of maternal mortality associated with eclampsia in Dhaka Medical College Hospital, 239
Hussein, O. see Al Bar, H.
Hussein, R. and Sewell, P.F.T.: Antero-symphysial abscess formation after symphysial disruption in pregnancy, 313
Hussein, S.Y. see Odejinmi, F.
Hutt, R., Long, M. and Sturdy, J.: Conservative management of ovarian cysts in pregnancy during third trimester and intrapartum, 495
Hydatidiform mole, complete, fertility regulatory methods and development of complications after evacuation of, 68
Hydatidiform mole, complete, a normal fetus and a,: A rare twin pregnancy, 319
Hyde, C. see Awonuga, A.O.
Hypercalcaemia due to metastatic melanoma during pregnancy, 195
Hyperemesis gravidarum, persistent, and *Helicobacter pylori*, 427
Hyperemesis gravidarum, struma ovarii presenting as, in pregnancy, 310
Hyperparathyroidism, primary, in pregnancy, 188
Hyperreactio luteinalis associated with normal singleton pregnancy, 315
Hypertension, pregnancy-induced, the effect of maternal exercise on umbilical artery blood flow in, 19
Hypertensive patient, obese, with multiple pregnancy, cardiac arrest in, 199
Hypertrophic cardiomyopathy, myocardial infarction in a woman with, treated with beta-mimetics for premature labour, 431
Hysterectomy, constipation, faecal incontinence and urinary symptoms in women awaiting, 530
Hysterectomy, the cost of a, in a UK hospital, 211
Hysterectomy, emergency obstetric,–an increasing incidence (correspondence), 447
Hysterectomy, evaluation of the information on, contained in health-related web sites. Gynaecology on the Net, 297
Hysterectomy, subtotal, outcome of, 70
Hysterectomy–the patient's view: a survey of outcomes of hysterectomy in a district general hospital, 421
Hysterectomy, vaginal, sacrospinous colpopexy at: methods, results and follow up in 75 patients, 58
Hysterectomy in a woman with factor XI deficiency, 321
Hysterosalpingocontrastsonography in clinical practice, 171
Hysteroscopy, outpatient, anxiety and, 81

Idama, T.O. and Pring, D.W.: Vaginal dilator therapy–an outpatient gynaecology option in the management of dyspareunia, 303
Idrisa, A. see Chama, C.M.
Igwegbe, A.O. and Egbuonu, I.: The prevalence and practice of female genital mutilation in Nnewi, Nigeria: the impact of female education, 520
Ikechebelu, J.I. and Onyejimbe, U.N.: Uterine leiomyomata causing tubal occlusion, 102
Ikomi, A., Mansell, E., Spence-Jones, C. and Singer, A.: Treatment of menorrhagia with the levonorgestrel intrauterine system: can we learn from our failures?, 630
Ikpeze, O.C.: Pattern of morbidity and mortality following illegal termination of pregnancy at Nnewi, Nigeria, 55
Imai, A. see Furui, T.
Induced abortion: a four-year experience at a University Gynaecological Clinic in Greece, 618
Induced abortion, contraceptive intentions of women seeking, in the city of Jos, Nigeria, 162
Induced abortion, risk of spontaneous abortion following, is only increased with short interpregnancy interval, 49
Induced labour in normotensive women, urinary output during,: a prospective pilot study, 594
Induction of labour in grand and great grand multiparae, the experience with prostaglandin E2 vaginal tablets for. A two year review in Saudi Arabia, 132
Internet, quality of information on female sterilisation on the, 167
Interstitial cystitis, 567
Interstitial thermotherapy as an adjunct to the treatment of uterine cervical leiomyomas, the value of, 412
Intrauterine contraceptive device, incrustation of the thread of an, 439
Intrauterine insemination (IUI) programme, the value of gonadotrophin releasing hormone analogue in an, 175
Intravenous leiomyomatosis, 439
Irvine, L.M. see Whitten, S.M.
Ischaemia of right colon complicating midtrimester pregnancy, 433
Ismail, K.M.K., Ghosh, S., Kilby, M.D. and Whittle, M.J.: Unexpected rapid rise of maternal serum anti-D levels during pregnancy, 378
Issa, A. see Saleh, S.
Iwuagwu, S.C., Ajuwon, A.J. and Olaseha, I.O.: Sexual behaviour and negotiation of the male condom by female students of the University of Ibadan, Nigeria, 507

Jain, S. see Galimberti, A.
Jaiswal, M. see Chhabra, S.
James, D.K., Telfer, F.M., Keating, N.A., Blair, M.E., Wilcox, M.A., Chilvers, C.: Reduced fetal movements and maternal medication–new pregnancy risk factors for neurodevelopmental disability in childhood, 226
Jeevarathnam, D. see Patel, A.
Jeharajh, A. see Kenney, N.
Jindal, P. see Chhabra, S.
Jochumsen, K.M. see Thomsen, T.K.
Johanson, R.B. see Hussain, F.
Johanson, R. see Awonuga, A.O.; Kumar, M. Johnson, N. see Chattopadhyay, I. Johnston, T. see Vause, S.
Jokhi, R.P. see Strachan, B.K.
Jones, N. see Griffiths, A.
Jones, P. see Hussain, F.; Kumar, M. Jones, S.E. see Dandu, S.
Jordan, J.A. see Mann, C.H.
Jürgens, S. see Hatem, M.H.
Juvenile fibroadenoma during pregnancy, 86

Kamdom-Moyo, J. see Salihu, H.M.
Kane, L. see Chung, T.
Kaneshima, M. see Shukunami, K.
Kano, H.: Imaging and torsion of ovarian tumours, 533
Kaplan, B. see Aschkenazi, S.
Kappas, A.M. see Baltoyiannis, G.
Karaveli, S. see Pestereli, H.E.
Karayannis, B. see Rousso, D.
Karayiannis, B. see Harsoulis, F.
Karoush, S. see Abdel-Aleem, H.
Karvounaris, D. see Harsoulis, F.
Keating, N.A. see James, D.K.
Keay, S. and Fox, R.: Maternal ketoacidosis complicating acute starvation in pregnancy, 539
Kennedy, C.R. see Clark, T.J.
Kenney, N., Jeyarajh, A. and Barton, D.: Recurrent ovarian cancer invading small bowel and presenting with melaena, 100
Kenny, D. see Hillman, A.
Khalid, A. see Toozs-Hobson, P.
Khan, K.S. see Awonuga, A.O.
Khan, L. see Saad, F.A.

Khan, Z. and Roseblade, C.K.: Normal development after exposure to misoprostol in the second trimester (correspondence), 448
Khunda, S.S. and Al-Omary, S.K.: Vaginal malignancies in childhood and adolescence, 499
Kiesel, L. see Hirnle, P.
Kilby, M.D. see Ismail, K.M.K.
Killick, S.R. see Mukhopadhyay, M.
Koçak, I. see Üstün, C.
Konje, J.C. see Chilaka, V.N.
Kotsuji, F. see Shukunami, K.
Kouam, L., Salihu, H.M. and Boyom, F.: The value of ultrasound measurements in the Cameroonian child, 385
Kourtis, A. see Rousso, D.
Koutsodimas, N.B. see Daskalakis, G.J.
Krishnamoorthy, U. see Osoba, O.
Krishnamurthy, S. see Sillender, M.
Kubba, A. see Erskine, M.
Kubo, M. see Shukunami, K.
Kudo, R. see Yamamoto, H.
Kumar, M., Rigby, C., Johanson, R. and Jones, P.: Improving the standards of care for women having caesarean sections, 584

Lam, C.M., Wong, S.F., Chow, K.M. and Ho, L.C.: Women with placenta praevia and antepartum haemorrhage have a worse outcome than those who do not bleed before delivery, 27
Langdana, F. and Mundow, L.: Pregnancy following endometrial ablation, 90
Langton, J. see Onyeka, B.A.
Lanhan, S. see Gornall, R.
Laparoscopic methotrexate treatment of ectopic pregnancy: feasibility, efficacy, safety and intrauterine pregnancy rates, 292
Laparoscopic removal of an ectopic uterus in a patient with Mayer-Rokitansky-Küster-Hauser syndrome, 97
Laparoscopic surgical management of ectopic pregnancy: a district general hospital experience, 620
Larbi, R.K.T., Buchmann, E.J. and Matshidze, P.R.: Pregnancy outcomes in urban black South African women aged 35 years and older, 259
Large loop, conisation with, are the immediate complications of, similar to those with the knife?, 63
Large loop excision of the transformation zone, a review of the treatment failures following cervical intraepithelial neoplasia grade III treated by, 399
Latthe, P.M., Latthe, M. and Khan, K.S.: Quality of information on female sterilisation on the Internet, 167
Laubach, C. see Ceusters, E.
Laubach, M. see Mana, F.
Leavy, J. see Skinner, J.
Leiomyomatosis, intravenous, 439
Leonard, M. see Sajjad, Y.
Lesseps, A. see Parikh, J.
Levavi, H. see Aschkenazi, S.
Levonorgestrel intrauterine system, treatment of menorrhagia with the,: can we learn from our failures?, 630
Levy, T. see Aschkenazi, S.
Leys, E. see Mahieu, L.M.
Lindal, E., Hauksson, A., Arnardóttir, S. and Hallgrimsson, J.P.: Low back pain, smoking and employment during pregnancy and after delivery—a 3-month follow-up study, 263
Lindow, S.W. see Arnadottir, S.; O'Connell, M.P.; Rai, N.
Lindsay, P.C. see Sizer, A.R.
Li, T.C. see Bajekal, N.R.
Li, T.-C. see Wong, Y.-M.
Liver function tests, abnormal, antenatal detection of,—a marker for poor perinatal outcome, 475
Long, M. see Hutt, R.
Lose, G. see Möller, L.A.
Louden, K. see Guyer, C.
Loverro, G., Greco, P., Cormio, G., Vimercati, A., Marello, F. and Selvaggi, L.: Modified technique of transabdominal cerclage in cervical pregnancy, 82
Low back pain, smoking and employment during pregnancy and after delivery—a 3-month follow-up study, 263
Lurie, S. see Sherman, D.
Lynch, P. see Arnott, N.

McCune-Albright syndrome, asynchronous ovarian torsion in a patient with, 204
McIntosh, S. see Rochester, M.
McKenna, P. see Slevin, J.
McKenzie, C.A. and Grant, K.A.: Hysterectomy–the patient's view: a survey of outcomes of hysterectomy in a district general hospital, 421
McKenzie, M. and Rafla, N.M.: Axial rotation of the non-gravid uterus through 1080° (3 x 360°), 88
McKinney, A., Dornan, J.C. and Tharmaratnam, S.: Transient isolated fetal ascites and intravenous ritodrine therapy: a possible association, 539
MacLean, A.B.: Paget's disease of the vulva, 7
Macphail, S. see Garg, M.
McWhinney, N. see Bulmer, P.
Mahadevan, S. see El-Toukhy, T.
Mahieu, L.M., De Dooy, J.J. and Leys, E.: Obstetricians' compliance with CDC guidelines on maternal screening and intrapartum prophylaxis for group B streptococcus, 460
Mahomed, N. and Moodley, J.: Pre-eclampsia–a problem of primipaternity not primigravidity?, 472
Maiti, S. and Cruickshank, D.J.: Incrustation of the thread of an intrauterine contraceptive device, 439
Malas, M.A. and Sulak, O.: Measurements of anterior fontanelle during the fetal period, 601
Male condom, sexual behaviour and negotiation of, by female students of the University of Ibadan, Nigeria, 507
Maltau, J.M. see Flo, K.
Mamopoulos, M. see Harsoulis, F.; Rousso, D.
Mana, F., Laubach, M., Reynaert, H. and Urbain, D.: 'Transient HELLP syndrome' followed by massive ascites, 193
Mann, C.H., Radley, S.C., Begum, G., Gkoutzioulis, F., Jordan, J.A., Callender, R. and Radley, S.: Constipation, faecal incontinence and urinary symptoms in women awaiting hysterectomy, 530
Mansell, E. see Ikomi, A.
Marelo, F. see Loverro, G.
Marfan's syndrome and myasthenia gravis in pregnancy, 538
Marsh, G. see Bowen, M.L.
Mascarenhas, L. see Olugbile, A.
Masha, R.O., Al-Mutawa, J., Al Nuaim, L.: Retroperitoneal haematoma arising from vaginal myomectomy, 327
Mashiach, R. see Aschkenazi, S.
Mashiloane, C.D. and Moodley, J.: Juvenile fibroadenoma during pregnancy, 86
Masson, E.A. see Arnadottir, S.; Rai, N.
Maternal hydrops syndrome, placental chorioangioma as a cause of, 91
Maternal ketoacidosis complicating acute starvation in pregnancy, 539
Maternal medication, reduced fetal movements and,–new pregnancy risk factors for neurodevelopmental disability in childhood, 226
Matshidze, P.R. see Larbi, R.K.T.
Matsunami, K. see Furui, T.
Mayer-Rokitansky-Küster-Hauser syndrome, laparoscopic removal of an ectopic uterus in a patient with, 97
Mayers, F. see Byrd, L.
Melanoma, cutaneous malignant, late ovarian metastases of a, 323
Melanoma, the masquerading malignant, 648
Melanoma, metastatic, during pregnancy, hypercalcaemia due to, 195

Mendilcioğlu, I. see Pestereli, H.E.
Menopause, perceptions and attitudes of Nigerian women about the, 525
Menorrhagia, treatment of, with the levonorgestrel intrauterine system: can we learn from our failures?, 630
Menzes, P. see Esen, U.I.
Merriman, H. see Bowen, M.L.
Mesenteric recurrence of a granulosa cell tumour 35 years after first presentation, 324
Mesothelioma, benign cystic peritoneal, 549
Metastatic melanoma, hypercalcaemia due to, during pregnancy, 195
Metastatic rectal cancer, unsuspected, presenting as abnormal cervical smear, 201
Methotrexate, systemic, and uterine artery embolisation. An ectopic pregnancy in a previous caesarian section scar: treatment with, 328
Methotrexate-treated case of ectopic pregnancy with genital tuberculosis, a fatal, 545
Methotrexate treatment of ectopic pregnancy, laparoscopic,: feasibility, efficacy, safety and intrauterine pregnancy rates, 292
Michel, M.Z. see Bajekal, N.R.
Micturition, does leaning forward improve?, 628
Misoprostol, normal development after exposure to, in the second trimester (correspondence), 448
Mohammed, W., Rao, A.V.C. and Charran, D.: Teratoma or a twin? An unusual presentation of epignathus, 428
Möller, L.A. and Lose, G.: The outcome of pelvic examinations in women 40-60 years of age with lower urinary tract symptoms, 414
Moodley, J. see Mahomed, N.
Moodley, J. see Mashiloane, C.D.
Moodley, J. see Moodley, M.
Moodley, M., Bagratee, J. and Moodley, J.: Marfan's syndrome and myasthenia gravis in pregnancy, 538
Mooney, P. see Sriemevan, A.
Moors, A. see Guyer, C.
Moran, P.A., Aldrich, C.J. and Gillmer, M.D.G.: Management of diabetic pregnancies in the United Kingdom, 455
Morgan, P. see Sajjad, Y.
Morrison, J.: Audit of anti-D immunoglobulin administration to pregnant Rhesus D negative women following sensitising events, 371
Morsy, A.H., El-Quarmalawi, M.A., Adib, S.A., El-Gerjes, N.S. and Elkalyoubi, M.: Medical risk factors in perinatal mortality in Kuwait: a case-controlled study from Al-jahra district, 354
Moustafa, A.F. see Hatem, M.H.
Mucosal ulceration, cyclical, 210
Mukhopadhyay, M., Killick, S.R., Guthrie, K. and Speck, E.: A bizarre history in a woman requesting repeat termination of pregnancy, 200
Mundow, L. see Langdana, F.
Murphy, D. see Olagundoye, V.
Murphy, D. see Thomas, E.
Mushait, M. see Al Bar, H.
Myasthenia gravis, Marfan's syndrome and, in pregnancy, 538
Myocardial infarction in a woman with hypertrophic cardiomyopathy treated with beta-mimetics for premature labour, 431
Myomas, pedunculated and degenerated, differential efficacy of gonadotrophin-releasing hormone (GnRH) agonist treatment on,: a retrospective study of 630 women, 504
Myomectomy, abdominal, fertility after, 418
Myomectomy, abdominal, reproductive outcome after, 282
Myomectomy, vaginal, retroperitoneal haematoma arising from, 327

Najmi, R.S. and Rehan, N.: Prevalence and determinants of caesarean section in a teaching hospital of Pakistan, 479
Narayansingh, G.V. see Cumming, G.P.
Neill, A. see Sriemevan, A.
Neill, S.M. see Ridley, C.M.
Neoplasia, recurrent high grade intraepithelial, in a patient with cyclical neutropaenia: an analysis of HPV status, 438
Neurodevelopmental disability in childhood, reduced fetal movements and maternal medication—new pregnancy risk factors for, 226
Ng, T.K. see Sum, T.K.
Nielsen, G.L. see Zhou, W.
Nishikawa, S. see Yamamoto, H.
Nkata, M.: Perinatal mortality in retained second twin, 256
Norplant in an inner city population, tolerability and reasons for discontinuation of, 180
Nwabineli, N.J. see Esen, U.I.
Nwosu, E.C., Sajjad, Y. and Barnet, A.: Catamenial pneumothorax, 547
Nwosu, E.C. see Sajjad, Y.

O'Brien, S.C. see Sizer, A.R.
Obstetric care in the United Kingdom, trends in, 592
Obstetricians' compliance with CDC guidelines on maternal screening and intrapartum prophylaxis for group B streptococcus, 460
Obstetricians, risks for,–a review of the current issues and literature, 572
Obstetric outcome in women over the age of 40 years, 24
Obstructed labour–a preventable entity, 151
O'Connell, M.P. and Lindow, S.W.: Trends in obstetric care in the United Kingdom, 592
Odejinmi, F., Annan, H.G. and Hussein, S.Y.: Tuberculosis, the great mimic again? A report of two cases of pelvic tuberculosis initially suspected to be advanced ovarian carcinoma, 544
Odendaal, H.J., Hall, D.R. and Grové, D.: Risk factors for and perinatal mortality of abruptio placentae in patients hospitalised for early onset severe pre-eclampsia—a case-controlled study, 358
O'Donoghue, K. and Byrne, B.M.: Antenatal detection of abnormal liver function tests—a marker for poor perinatal outcome, 475
O'Donovan, M. and Byrne, P.: Congenital antithrombin III deficiency in pregnancy treated with low-molecular-weight heparin, 85
O'Donovan, M. and Byrne, P.: Triplets delivered vaginally, 87
Odukoya, O. see Wong, Y.-M.
Offor, E., Onakewhor, J.U.E., Okonofua, F.E.: Maternal and neonatal seroprevalence of human immunodeficiency virus antibodies in Benin City, Nigeria, 589
Ojengbede, O.A. see Oladokun, A.
Ojutika, D. and Chappatte, O.A.: Spontaneous antepartum uterine artery rupture, 542
Okeahialam, M.G. see Dandu, S.
Okonofua, F.E. see Offor, E.
Okunlola, M.A. see Adekunle, A.O.
Oladokum, A. see Adewole, I.F.
Oladokun, A., Babarinsa, I.A., Adewole, I.F., Omigbodun, A.O. and Ojengbede, O.A.: A Sitz bath does not improve wound healing after elective episiotomy, 277
Olagundoye, V., Adeghe, J., Guirguis, M., Cox, C. and Murphy, D.: Laparoscopic surgical management of ectopic pregnancy: a district general hospital experience, 620
Olagundoye, V.O. and Adeghe, J.H.: The value of gonadotrophin releasing hormone analogue in an intrauterine insemination (IUI) programme, 175
Oláh, K.S.J. see Ewies, A.A.A.
Olaseha, I.O. see Iwuagwu, S.C.
Olawuyi, J.F. see Adewole, I.F.
Olsen, J. see Zhou, W.
Olugbile, A. and Mascarenhas, L.: Review of shoulder dystocia at the Birmingham Women's Hospital, 267
Omigbodun, A.O. see Oladokun, A.
Onakewhor, J.U.E. see Offor, E.
Oncology clinic, gynaecology, patient satisfaction with the care provided a, 183

Ondimu, K.N.: Levels and risk factors of operative deliveries in four health facilities in Kisumu District, Kenya, 486
On the shoulders of giants, 185
Onwudiegwu, U.: Is breastfeeding during pregnancy harmful?, 157
Onyejimbe, U.N. see Ikechebelu, J.I.
Onyeka, B.A. and Langton, J.: Urinary output during induced labour in normotensive women: a prospective pilot study, 594
Operate, too ill to operate or ill enough to?, 646
Operative deliveries, levels and risk factors of, in four health facilities in Kisumu District, Kenya, 486
O'Reilly, D. and Stevenson, M.: The effect of superstition on the day of discharge from maternity units in Northern Ireland: 'A Saturday flit is a short sit', 139
Osei, E. see Papaioannou, S.
Osoba, O., Aziz, N.L. and Krishnamoorthy, U.: Review of diagnosis and transmission of thanatophoric dysplasia and report of a familial case with three affected siblings, 540
Osteitis pubis, is it associated with the use of bone anchors in urinary continence operations?, 614
Osteoporosis of the hip in pregnancy, transient, hip fracture during labour due to, 197
Osteoporosis of the hip, transient, in pregnancy with fractured neck of femur postpartum, 634
Ovarian cancer, benign disease can mimic, 645
Ovarian cancer, recurrent, invading small bowel and presenting with melaena, 100
Ovarian carcinoma, advanced, a report of two cases of pelvic tuberculosis initially suspected to be, 544
Ovarian cysts in pregnancy, conservative management of, during third trimester and intrapartum, 495
Ovarian metastases, late, of a cutaneous malignant melanoma, 323
Ovarian pregnancy, an advanced primary, 542
Ovarian torsion, asynchronous, in a patient with McCune-Albright syndrome, 204
Ovarian tumours, imaging and torsion of, 533
Overton, T.G. see Sriemevan, A.
Oxytocin regimes, variations in, in Scottish labour wards in 1998, 235
Özbilim, G. see Pestereli, H.E.

Paget's disease of the vulva, 7
Pallis, L. see Rane, A.
Panidis, D. see Rousso, D.
Papaioannou, S., Davies, J., Grant, I. and Osei, E.: Folate deficiency in pregnancy presenting as acute megaloblastic crisis, 190
Papantoniou, N.E. see Daskalakis, G.J.
Papapanagiotou, A. see Daskalakis, G.J.
Parikh, J. and Lesseps, A.: Intravenous leiomyomatosis, 439
Parikh, J. and Lesseps, A.: Outcome of subtotal hysterectomy, 70
Parkin, D.E. see Cumming, G.P.
Patel, A., Patteril, M., Randall, J.M. and Jeevarathnam, D.: Cardiac arrest in an obese hypertensive patient with multiple pregnancy, 199
Patient satisfaction with the care provided a a gynaecology oncology clinic, 183
Patient satisfaction with ring pessary, 211
Patient satisfaction survey at a district hospital, transcervical resection of endometrium, 517
Patteril, M. see Patel, A.
Pecorari, D. Shoulder dystocia: room for improvement? (correspondence), 333
Peiris, H. see Weerasekera, D.S.
Pelvic actinomycosis mimicking frozen pelvis: report of an unusual case, 548
Pelvic vein malformations, a left inferior vena cava associated with,: a major pitfall of pelvic surgery, 440
Pembrey, M.R. see Bhaumik, J.
Pembridge, J.M. see Sizer, A.R.
Penalver, M., Sizer, A.R. and Fiander, A.N.: Unusual ultrasound appearance of endometrial carcinoma, 644
Perforated duodenal ulcer in pregnancy—a rare non-obstetric emergency, 632
Perinatal mortality in Kuwait, medical risk factors in,: a case-controlled study from Al-jahra district, 354
Pestereli, H.E., Gürer, I.E., Özbilim, G., Mendilcioğlu, I., Zorlu, G. and Karaveli, S.: Primary tubal adenocarcinoma, 202
Petropoulos, P. see Rousso, D. Pfeiffer, K.H. see Hirnle, P.
Pitts, M. see Bradley, E.
Placenta increta presenting in the first trimester, a case of, 434
Placental abruption, co-existence of spontaneous rupture of uterine artery and, 196
Placental chorioangioma as a cause of maternal hydrops syndrome, 91
Placental site trophoblastic tumours, patients with (correspondence), 333
Placenta praevia and antepartum haemorrhage, women with, have a worse outcome than those who do not bleed before delivery, 27
Placenta praevia, complete, medical management of second trimester fetal death complicated by a, 537
Placenta praevia, fetal growth and sex related to, 382
Placenta praevia and scarred uterus—an obstetrician's dilemma, 484
Plasma creatinine concentration in normal pregnancy, re-evaluation of, 128
Pleural effusion, contralateral, extralobar pulmonary sequestration with, 632
Pneumothorax, catamenial, 547
Pollard, L. see Erskine, M.
Polymorphisms in glycoprotein (GP) Ib alpha are not associated with adverse outcomes in primigravidae, 250
Post-coital bleeding, glial polyp: an unusual cause of, 205
Post mortem caesarean section—intervention not indecision, 192
Postsurgical adhesion formation in rat models, effects of Seprafilm™ (sodium hyaluranate-based bioreabsorbable), Sepracoat™ (0·4% hyaluronic acid), and Ringer's lactate on the prevention of, 78
Powell, J. and Wojinarowska, F.: Cyclical mucosal ulceration, 210
Prasad, M., Ghosh, S. and Al-Taher, H.: Obstetric outcome in women over the age of 40 years, 24
Pre-eclampsia–a problem of primipaternity not primigravidity?, 472
Pre-eclampsia, early onset severe, risk factors for and perinatal mortality of abruptio placentae in patients hospitalised for,—a case-controlled study, 358
Preeclampsia, severe, central serous retinopathy and, 311
Premature labour, myocardial infarction in a woman with hypertrophic cardiomyopathy treated with beta-mimetics for, 431
Prentice, A. see Rochester, M.
Pre-operative counselling—the patients' views, 308
Preterm birth, fetal fibronectin as a predictor of, 347
Pring, D.W. see Idama, T.O.; Sillender, M.
Prostaglandin E2 vaginal tablets for induction of labour in grand and great grand multiparae, the experience with, a two year review in Saudi Arabia, 132
Protein C deficiency, purpura fulminans in the early postnatal period in a woman with, 536
Prune belly syndrome co-existing with the VACTERL-complex in a background of antenatal ingestion of traditional concoction, 95
Purpura fulminans in the early postnatal period in a woman with protein C deficiency, 536

Quenby, S. see Gazvani, M.R.

Rabinerson, D., Dicker, D., Ben-Rafael, Z. and Dekel, A.: Hysterectomy in a woman with factor XI deficiency, 321

Radiation therapy, advanced cervical carcinoma in Ibadan, Nigeria: an appraisal of, 624
Radley, S.C. see Mann, C.H.
Radley, S. see Mann, C.H.
Rafla, N.M.: The effect of maternal exercise on umbilical artery blood flow in insulin-dependent diabetes, 606
Rafla, N.M.: The effect of maternal exercise on umbilical artery blood flow in pregnancy-induced hypertension, 19
Rafla, N.M. see McKenzie, M.
Rahman, J., Rahman, M.S., Al-Suleiman, S.A. and Al-Jama, F.E.: Pregnancy complicated by maternal cardiac disease: a review of 274 patients, 242
Rahman, M.S. see Rahman, J.
Rai, N., Masson, E.A. and Lindow, S.W.: Sleep apnoea syndrome in pregnancy without fetal compromise, 84
Randall, J.M. see Patel, A.
Rane, A. and Corstiaans, A.: Does leaning forward improve micturition?, 628
Rane, A., Frazer, M., Pallis, L., Howat, P. and Francis, F.: Acute haemorrhagic cystitis in pregnancy, 316
Rane, A., Hassan, S. and Corstiaans, A.: Does conventional HRT protect from urogenital atrophy? A prospective study, 306
Rao, A.V.C. see Mohammed, W.
Ratard, R. see Salihu, H.M.
Ravichandran, D. see Rochester, M.
Redman, C. see Bradley, E.
Reeve, R.S. see Haughney, R.V.M.
Rehan, N. see Najmi, R.S.
Reiss, H.E.: John William Ballantyne 1861-1223, 343
Reiss, H.E.: On the shoulders of giants, 185
Renal agenesis, left, uterus didelphys associated with, presenting as a pelvic kidney with contralateral ureteric obstruction, 325
Renal transplantation, outcome of pregnancy following, 15
Retinopathy, central serous, and severe preeclampsia, 311
Retroperitoneal cyst, massive, in pregnancy, 429
Reynaert, H. see Mana, F.
Rhabdomyoma, benign vaginal,: a case report, 641
Rhesus D negative, audit of anti-D immunoglobulin administration to pregnant, women following sensitising events, 371
Rhesus D negative, management of women who are, in Northern Ireland, 374
Richards, C.J. see Das, S.S.
Richardson, J. see Hamid, S.
Ridley, C.M. and Neill, S.M.: Vulval cancer in pregnancy (correspondence), 103
Rigby, C. see Kumar, M.
Ring pessary, patient satisfaction with, 211
Ring pessary, vesicovaginal fistula occurring 48 hours after insertion of a, 637
Risks for obstetricians—a review of the current issues and literature, 572
Ritodrine therapy, intravenous, transient isolated fetal ascites,: a possible association, 539
Rivasi, F. see Fano, R.A.
Rochester, M., Ravichandran, D., McIntosh, S. and Prentice, A.: Ischaemia of right colon complicating midtrimester pregnancy, 433
Rokitansky-Kuster-Hauser syndrome associated with chromosomal abnormality and fibroid arising from the rudimentary uterine horn, 98
Roseblade, C.K. see Khan, Z.
Rousso, D., Panidis, D., Karayannis, B., Kourtis, A., Petropoulos, P. and Mamopoulos, M.: Induced abortion: a four-year experience at a University Gynaecological Clinic in Greece, 618
Ruptured aneurysm, sub-arachnoid haemorrhage from, during pregnancy, 635
Rupture of splenic artery aneurysm and literature review, 633
Saad, F.A., Al-Tamimi, H., Khan, L., Dauleh, G., Azzam, L. and Abu-Saleh, A.M.: Stillbirths in Qatar: a review of 83 cases, 143
Sabrine, N. see Chattopadhyay, I.
Sabroe, S. see Zhou, W.
Sacrospinous colpopexy at vaginal hysterectomy: methods, results and follow up in 75 patients, 58
Sajjad, Y., Aust, T.R., Morgan, P. and Nwosu, E.C.: Rupture of splenic artery aneurysm and literature review, 633
Sajjad, Y., Leonard, M. and Doyle, M.: Antioxidant levels in the cord blood of term foetus, 468
Sajjad, Y. see Nwosu, E.C.
Saleh, S. and Issa, A.: Reproductive outcome after abdominal myomectomy, 282
Salihu, H.M. see Kouam, L.
Salihu, H.M., Tchuinguem, G., Kamdom-Moyo, J. and Ratard, R.: Prune belly syndrome co-existing with the VACTERL-complex in a background of antenatal ingestion of traditional concoction, 95
Sant Cassia, J.L. see Ewies, A.A.A.
Savage, W.: The caesarian section epidemic, 223
Scarred uterus, placenta praevia and,—an obstetrician's dilemma, 484
Schiótz, H.A.: Tension-free vaginal tape (TVT)—a new surgical procedure for female stress incontinence, 158
Scurr, J. see Cullimore, J.
Secondary brow, aetiology and management of the, 39
Selvaggi, L. see Loverro, G.
Sewell, P.F.T. see Hussein, R.
Sexual behaviour and negotiation of the male condom by female students of the University of Ibadan, Nigeria, 507
Shafik, A. and El-Sibai, O.: Vaginismus: results of treatment with botulin toxin, 300
Shalan, H.: see Sherif, L.S.
Sharma, A., Bhanot, S.M. and Swinhoe, J.R.: Isolated endometriosis of the ureter, 642
Shaw, S. see Day, J.
Sherif, L.S., El-Metwaly, A.G., Shalan, H., Badawy, A.M. and Abu-Hashem, E.: Can a single serum CA 125 assay predict the outcome of threatened abortion?, 65
Sherman, D., Lurie, S., Turetz, J. and Bukovsky, I.: Central serous retinopathy and severe preeclampsia, 311
Sheth, S.S.: Vaginal excision of cervical stump, 523
Shiach, C. see Vause, S.
Shields, D.C. see Hillman, A.
Shinewi, F. see Erskine, M.
Shiraki, S. see Furui, T.
Shoulder dystocia, 579
Shoulder dystocia: room for improvement? (correspondence), 333
Shoulder dystocia, review of, at the Birmingham Women's Hospital, 267
Shoulder dystocia, true, rare skeletal injuries following, 432
Shukunami, K., Kubo, M., Kaneshima, M. and Kotsuji, F.: Postpartum spontaneous rupture of a benign cystic teratoma, 443
Shukunami, K., Uchida, T., Takada, K. and Kotsuji, F.: Prenatal ultrasound diagnosis of isolated conotruncal anomalies, 93
Sillender, M., Downes, E. and Drife, J.O.: Second-trimester medical termination of pregnancy in Ehlers Danlos syndrome, 647
Sillender, M. and Krishnamurthy, S.: Medical management of second trimester fetal death complicated by a complete placenta praevia, 537
Sillender, M. and Pring, D.W.: How effective was the Health Education Authority's folic acid campaign?, 271
Simon, P. see Buxant, F.
Singer, A. see Ikomi, A.
Sitz bath does not improve wound healing after elective episiotomy, 277

Sizer, A.R., Pembridge, J.M. and O'Brien, S.C.: An unusual case of uterus didelphis resulting in misdiagnosis of tubal occlusion, 208
Sizer, A.R. see Penalver, M.
Sizer, A.R., Thomas, S.C. and Lindsay, P.C.: The rise in obstetric intervention with maternal age: a continuous phenomenon, 246
Skinner, J., Leavy, J., Stuart, B.J. and Turner, M.J.: Hysterosalpingocontrastsonography in clinical practice, 171
Skinner, J. see Cotter, A.
Skopelitou, A.S. see Baltoyiannis, G.
Slade, R.J. see Faulkner, R.L.; Haughney, R.V.M.
Sleep apnoea syndrome in pregnancy without fetal compromise, 84
Slevin, J., Gleeson, R. and McKenna, P.: A rare twin pregnancy: a normal fetus and a complete hydatidiform mole, 319
Slippe-Quartey, J. see Chung, T.
Smith, J.H.F. see Haynes, D.I.
Smith, J.R. see Albett, J.C.; Vashisht, A.
Smoking, low back pain and employment during pregnancy and after delivery–a 3-month follow-up study, 263
Sobande, A. see Al Bar, H.
Socioeconomic barriers to safe motherhood among booked patients in rural Nigerian communities, 32
Söylemez, F. see Tekşen, F.
Special antenatal clinic for women with a medical disorder? Is there a need for, 465
Speck, E. see Mukhopadhyay, M.
Speculum examination on admission, is it a necessary procedure in the management of all cases of antepartum haemorrhage? Practice observed:, 396
Spence-Jones, C. see Ikomi, A.
Splenic artery aneurysm, rupture of, and literature review, 633
Spontaneous abortion following induced abortion, risk of, is only increased with short interpregnancy interval, 49
Sriemevan, A., Mooney, P. and Boto, T.: Transcervical resection of endometrium: patient satisfaction survey at a district hospital, 517
Sriemevan, A., Neill, A. and Overton, T.G.: Shoulder dystocia, 579
Sterilisation, quality of information on female, on the Internet, 167
Stevenson, M. see O'Reilly, D.
Stillbirths in Qatar: a review of 83 cases, 143
Strachan, B.K., Jokhi, R.P. and Filshie, G.M.: Persistent hyperemesis gravidarum and *Helicobacter pylori*, 427
Strachan, B.K. see Tower, C.L.
Stress incontinence, tension-free vaginal tape (TVT)–a new surgical procedure for female, 158
Struma ovarii presenting as hyperemesis gravidarum in pregnancy, 310
Stuart, B.J. see Skinner, J.
Sturdy, J. see Hutt, R.
Sub-arachnoid haemorrhage from ruptured aneurysm during pregnancy, 635
Sulak, O. see Malas, M.A.
Sulkarnejewa, E. see Hirnle, P.
Sum, T.K., Wong, S.H., Tai, C.M. and Ng, T.K.: An ectopic pregnancy in a previous pregnancy section scar: treatment with systemic methotrexate and uterine artery embolisation, 328
Sunna, E. see Ziadeh, S.M.
Superstition, the effect of, on the day of discharge from maternity units in Northern Ireland: 'A Saturday flit is a short sit', 139
Suprapubic catheter, severe haemorrhage following insertion of a, 646
Swami, S. see Cumming, G.P.
Swinhoe, J.R. see Sharma, A.
Symphysial disruption in pregnancy, antero-symphysial abscess formation after, 313
Tai, C.M. see Sum, T.K.
Takagi, A. see Furui, T.
Takagi, H. see Furui, T.
Talib, Y.A. and Hefni, H.: Benign cystic peritoneal mesothelioma, 549
Tamaya, T. see Furui, T.
Tan, B.K. see Clark, T.J.
Taylor, D.J. see Chilaka, V.N.
Taylor, R. see Awonuga, A.O.
Tchuinguem, G. see Salihu, H.M.
Tekşen, F. and Söylemez, F.: A true hermaphrodite case with 46, XY/46, XX karotype, 546
Telfer, F.M. see James, D.K.
Tension-free vaginal tape (TVT)—a new surgical procedure for female stress incontinence, 158
Teratoma, benign cystic, postpartum spontaneous rupture of a, 443
Teratoma or a twin? An unusual presentation of epignathus, 428
Termination of pregnancy, a bizarre history in a woman requesting repeat, 200
Termination of pregnancy, illegal, pattern of morbidity and mortality following, at Nnewi, Nigeria, 55
Termination of pregnancy, second-trimester medical, in Ehlers Danlos syndrome, 647
Thanatophoric dysplasia, review of diagnosis and transmission of, and report of a familial case with three affected siblings, 540
Thangappah, R.B.P.: Maternal and perinatal outcome with drug abuse in pregnancy, 597
Tharmaratnam, S. see McKinney, A.
Thiga, R. see Al Bar, H.
Thomas, E., Cox, C., Murphy, D. and Beddard, K.: Hip fracture during labour due to transient osteoporosis of the hip in pregnancy, 197
Thomas, E., Murphy, D., Cox, C. and Williams, G.: Unsuspected metastatic rectal cancer presenting as abnormal cervical smear, 201
Thomas, S.C. see Sizer, A.R.
Thomsen, T.K. and Jochumsen, K.M.: Coexistent extraovarian and bilateral ovarian dermoid cysts: a case presenting as an acute abdomen, 442
Threatened abortion, can a single serum CA 125 assay predict the outcome of?, 65
Toozs-Hobson, P., Bidmead, J., Khalid, A., Cardozo, L. and Hill, S.: Current trends in management of ectopic pregnancy in the United Kingdom, 74
Tower, C.L., Strachan, B.K. and Baker, P.N.: Long-term implications of caesarean section, 365
Transcervical resection of endometrium: patient satisfaction survey at a district hospital, 517
'Transient HELLP syndrome' followed by massive ascites, 193
Trial of labour after previous caesarean section, an audit of, 380
Trichoepithelioma of the vulva, 99
Trihia, H. see Bowen, M.L.
Triplets delivered vaginally, 87
Trivedi, A.N.: Early teenage obstetrics at Waikato Hospital, 368
Tubal adenocarcinoma, primary, 202
Tubal occlusion, misdiagnosis of, an unusual case of uterus didelphis resulting in, 208
Tubal occlusion, uterine leiomyomata causing, 102
Tuberculosis, genital, a fatal methotrexate-treated case of ectopic pregnancy with, 545
Tuberculosis, the great mimic again? A report of two cases of pelvic tuberculosis initially suspected to be advanced ovarian carcinoma, 544
Tubo-ovarian abscess, late, after abdominal hysterectomy, presenting as a tubo-cutaneous fistula, 640
Turetz, J. see Sherman, D.
Turner, M.J. see Cotter, A.; Skinner, J.

Twin, caesarean section for the second, after vaginal delivery of the first, 392
Twin papyraceous fetuses in a triple pregnancy, 317
Twin, perinatal mortality in retained second, 256
Twin pregnancies, outcome of, in North Jordan, 492
Twin pregnancy, a rare,: a normal fetus and a complete hydatidiform mole, 319
Twins with birthweight under 1500 grams, the effect of mode of delivery on neonatal outcome of, 389
Twin, teratoma or a,? An unusual presentation of epignathus, 428

Ujah, I.A.O.: Contraception intentions of women seeking induced abortion in the city of Jos, Nigeria, 162
Ultrasound appearance of endometrial carcinoma, unusual, 644
Ultrasound diagnosis, prenatal, of isolated conotruncal anomalies, 93
Ultrasound measurements in the Cameroonian child, the value of, 385
Umbilical artery blood flow, the effect of maternal exercise on, in insulin-dependent diabetes, 606
Umbilical artery blood flow in pregnancy-induced hypertension, the effect of maternal exercise on, 19
Umbilical cord thrombosis—a cause of intrauterine demise?, 92
Urbain, D. see Mana, F.
Ureter, isolated endometriosis of the, 642
Urinary output during induced labour in normotensive women: a prospective pilot study, 594
Urinary tract symptoms, lower, the outcome of pelvic examinations in women 40-60 years of age with, 414
Urogenital atrophy, does conventional HRT protect? A prospective study, 306
Üstün, C., Koçak, I. and Akpolat, I.: Effects of Seprafilm™ (sodium hyaluranate-based bioreabsorbable), Sepracoat™ (0.4% hyaluronic acid), and Ringer's lactate on the prevention of postsurgical adhesion formation in rat models, 78
Uterine artery embolisation, treatment with systemic methotrexate and,: an ectopic pregnancy in a previous caesarean section scar, 328
Uterine artery rupture, spontaneous antepartum, 542
Uterine artery, spontaneous rupture of, and placental abruption, co-existance of, 196
Uterine inversion, acute peuperal,: a report of five cases, 426
Uterine leiomyomata causing tubal occlusion, 102
Uterine rupture as seen in the University of Calabar Teaching Hospital, Nigeria: a five-year review, 154
Uterus didelphis, an unusual case of, resulting in misdiagnosis of tubal occlusion, 208
Uterus didelphys associated with left renal agenesis presenting as a pelvic kidney with contralateral ureteric obstruction, 325

VACTERL-complex, prune belly syndrome co-existing with the, in a background of antenatal ingestion of traditional concoction, 95
Vaginal dilator therapy—an outpatient gynaecology option in the management of dyspareunia, 303
Vaginal excision of cervical stump, 523
Vaginal malignancies in childhood and adolescence, 499
Vaginal rhabdomyoma, benign,: a case report, 641
Vaginismus: results of treatment with botulin toxin, 300
Varley, M. see Cotter, A.
Vashisht, A., Domoney, C.L., Handscombe, K., Smith, J.R. and Bridges, J.E.: Patient satisfaction with the care provided a a gynaecology oncology clinic, 183
Vause, S., Shiach, C. and Johnston, T.: Purpura fulminans in the early postnatal period in a woman with protein C deficiency, 536
Vause, S., Wray, J. and Bailie, C.: Management of women who are Rhesus D negative in Northern Ireland, 374
Vesicovaginal fistula occurring 48 hours after insertion of a ring pessary, 637
Vimercati, A. see Loverro, G.
Vulval cancer in pregnancy (correspondence), 103
Vulva, Paget's disease of the, 7
Vulvar intraepithelial neoplasia, persistent abnormal cervical smears caused by, 643
Vulva, trichoepithelioma of the, 99
Vulva, tumour-like, bilateral Crohn's disease of the, 637

Wafai, C. see Bradley, E.
Wasef, W.R.K.: An audit of trial of labour after previous caesarian section, 380
Watermeyer, S.R. and Gonsalves, R.: An eclamptic episode in a low risk multiparous woman, 436
Web sites, health-related, gynaecology on the Net: evaluation of the information on hysterectomy contained in, 297
Weerasekera, D.S.: Placenta praevia and scarred uterus—an obstetrician's dilemma, 484
Weerasekera, D.S. and Peiris, H.: The value of serum fructosamine in comparison with oral glucose tolerance test (OGTT) as a screening test for detection of gestational diabetes mellitus, 136
Wells, S. see Byrd, L.
Whitten, S.M. and Irvine, L.M.: Post mortem caesarean section—intervention not indecision, 192
Whittle, M.J. see Ismail, K.M.K.
Wilcox, M.A. see James, D.K.
Williams, G. see Thomas, E.
Wojinarowska, F. see Powell, J.
Wong, S.F. see Lam, C.M.
Wong, S.H. see Sum, T.K.
Wong, Y.-M., Odukoya, O. and Li, T.-C.: Co-existence of spontaneous rupture of uterine artery and placental abruption, 196
Woodliff, G. see Bowen, M.L.
Woolas, R. see Gornall, R.
Wray, J. see Vause, S.
Wright, C. see Garg, M.

Yamamoto, H., Nishikawa, S., Yamazaki, K. and Kudo, R.: Efficacy of haptoglobin administration in the early postoperative course of patients with a diagnosis of HELLP syndrome, 610
Yamazaki, K. see Yamamoto, H.

Zaklama, M. see Anwar, T.
Zhou, W., Olsen, J., Nielsen, G.L. and Sabroe, S.: Risk of spontaneous abortion following induced abortion is only increased with short interpregnancy interval, 49
Ziadeh, S.: Outcome of twin pregnancies in North Jordan, 492
Ziadeh, S.M., Sunna, E. and Badria, L.F.: The effect of mode of delivery on neonatal outcome of twins with birthweight under 1500 grams, 389
Zorlu, G. see Pestereli, H.E.